

Hydroflo
pumps

“Innovation in the Pump Industry”



Stainless Steel Submersible Turbine Pumps


Cast Iron/Bronze Submersibles & Turbines



Hydroflo Pumps USA, Inc.
Nashville, TN.
Granger, IN.



Stainless Steel Water Well Submersible Pump End
Sizes: 5.5 & 7 50 GPM to 300 GPM



Model	NEMA Motor Brkt.	"A" Single Stage	"B" Add Stage	Max. O.D. *	Disch. Size	First Stage Wt.	Add'l Stage Wt.
5.5SS60	4,6	12.56	1.875	5.5	2" NPT	17	4
5.5SS85	4,6	12.56	1.875	5.5	3" NPT	17	4
5.5SS100	4,6	12.87	2.250	5.5	3" NPT	18	5
5.5SS150	4,6	12.87	2.250	5.5	3" NPT	18	5
5.5SS250	6	14.00	4.750	5.5	3" NPT	24	13
7SS200	6	12.95	2.25	7	4" NPT	26	8
7SS300	6	14.85	4.135	7	4" NPT	26	8



Quality Submersible Pumps


50 GPM to 1300 GPM
 Heads to 1600 TDH
 7L, 7M, 7H, & 8H Available in
 Cast Iron/Bronze
 or
 All 316 Stainless Steel

7" Ductile Iron Bowls, Double
 Tapped and O'ringed for High
 Pressure Applications.

**SPECIFICATIONS ARE SUBJECT TO CHANGE
 WITHOUT NOTICE**

Submersible Turbine Pumps


Sizes: 7L, M, & H 175 GPM to 750 GPM



Model	NEMA	"A"	"B"	"C"	"D" SINGLE STAGE	"E"	Disch. Size	First Stage Wt.	Add'l Stage Wt.
7L	6	12.88	5.50	3.63	22.00	7.50	4,6	68	30
	8	14.56	5.50	3.63	23.69	7.50	4,6	80	30
7M	6	12.88	6.38	3.63	22.88	7.50	4,6	75	28
	8	14.56	6.38	3.63	24.56	7.50	4,6	87	28
7H	6	12.88	7.09	3.63	23.59	7.50	4,6	78	31
	8	14.56	7.09	3.63	25.28	7.50	4,6	90	31

Submersible Turbine Pumps

Size: 8H 800 GPM to 1300 GPM



Model	NEMA	"A"	"B"	"C"	"D" SINGLE STAGE	"E"	Disch. Size	First Stage Wt.	Add'l Stage Wt.
8H	6	13.56	7.87	8.87	30.31	8.19	6	119	44
	8	16.75	7.87	8.87	33.50	8.19	6	129	44